=> d his

(FILE 'HOME' ENTERED AT 07:55:15 ON 24 APR 2003)

FILE 'COMPI	ENDEX, CO	OMPUAB, CO	MPUSCIENC	E, ELCOM,	FEDRIP,	IFIPAT, II	NFODATA
INSPEC, IN	VESTEXT,	JICST-EPL	US, MATH,	MATHDI,	NLDB, NTI	S, PASCAL	, PROMT
SCISEARCH,	TEMA, US	SPAT2' ENT	ERED AT 0	7:55:28 0	N 24 APR	2003	

2 S RESOURCE? (4W) COMPIL? AND RESOURCE? (4W) PARAMETER?

L1 222 S RESOURCE? AND PARAMETER? AND EXTERNAL? AND COMPIL? AND (EDIT? L2

L3 91 S L2 AND GRAPHICAL?



Advanced Search Preferences Language Tools Search Tips

resource and not compiled and parameter and external and

Google Search

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Images Groups Directory News

Searched the web for resource and not compiled and parameter and external and edit. Results 1 - 10 of about 2

Command Classification and Resources of External Routines (Plug-...

... It is therefore possible to create your own **compiled** commands and add them to an application ... The CURS **resource** with ID 15001 must **not** be deleted because ... www.4d.com/ACIDOC/CMU/CMU79914.HTM - 13k - <u>Cached</u> - <u>Similar pages</u>

Resource Hacker - Version History

... line will now accept a filename as a **parameter**. ... captions in dialog resources were **not compiled** correctly. ... newline, backslash & doublequote) in **resource** scripts ... www.users.on.net/johnson/resourcehacker/ rh_history.html - 18k - <u>Cached</u> - <u>Similar pages</u>

Defining Parameters in Process.conf

... not to generate a resource description for a resource. ... don't use C or another compiled language ... The Compass Server Administration Interface does not scan binary ... developer.netscape.com/docs/manuals/ compass/devguide/process.htm - 22k - Apr 23, 2003 - Cached - Similar pages

Xfiler

... and can be adjusted using the corresponding X **resource**. ... If xfiler has been **compiled** with the MAGIC_HEADERS ... is possible to specify icons (but **not** actions) for ... siag.nu/applets/xfiler.html - 26k - <u>Cached</u> - <u>Similar pages</u>

F1 Help: Build page of Project Properties dialog box

... The generated .java files are then **compiled** as part of ... or **not** the file type is normally considered a **resource**. If the selected extensions do **not** all share the ... info.borland.com/techpubs/jbuilder/jbuilder8/ ui/dialogs/dlgbuildpage.html - 27k - <u>Cached - Similar pages</u>

гретуwww.laadb2ug.org/downloads/november 2002 laadb2ug.ppt

File Format: Microsoft Powerpoint 97 - View as HTML

... Compile and register into DB2 tables. **Not** interpreted, but **compiled** as C code. ... **Resource** Recovery Services (RRS): ... If RRS is **not** running, or **not** configured: ... Similar pages

cs.haifa.ac.il/YOSI/PCOMP/readme

... 128.0.0.1) e) Run FM Global **resource** manager from ... c 3) Run Microsoft Visual C++ (if **not** done so ... computer you have to distribute the **compiled** program executable ... 6k - Cached - Similar pages

bioperl.org/SRC/branch-06/README

... http://bioperl.org provides an online **resource** for modules ... solaris boxes, the generated Makefile does **not** make the ... This should install the **compiled** extension. ... 10k - Cached - Similar pages

FBEditor Help

... will only be created if a corresponding **c mpiled** Java .class ... Trace:When this item is **not** checked, all data and ... is enabled on a **resource**-by-**res urce** basis via ... www.holobloc.com/doc/fbdk/FBEditorHelp.htm - 15k - <u>Cached</u> - <u>Similar pages</u>

Digital Library

Print Format

�IEEE IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE Publications/Services Standards Conferences Careers/Jobs Membership Welcome United States Patent and Trademark Office RELEASE 1.4 » Search Results Help FAQ Terms IEEE Quick Links Peer Review Welcome to IEEE Xplore Your search matched 12 of 936268 documents. O- Home O-What Can A maximum of 12 results are displayed, 15 to a page, sorted by Relevance in descending 1 Access? lorder. O- Log-out You may refine your search by editing the current search expression or entering a new one **Tables of Contents** the text box. O- Journals & Magazines Then click **Search Again**. ((resource)and (compiled)) and(parameter) O- Conference Search Again **Proceedings** O- Standards Results: Search Journal or Magazine = JNL Conference = CNF Standard = STD O- By Author O- Basic 1 Resource requirements of dataflow programs O- Advanced Culler, D.E.; Arvind; Member Services Computer Architecture, 1988. Conference Proceedings. 15th Annual O- Join IEEE International Symposium on , 30 May-2 Jun 1988 O- Establish IEEE Page(s): 141 -150 Web Account - Access the **IEEE Member**

2 Complexity reduction in a large vocabulary speech recognizer

Pieraccini, R.; Lee, C.-H.; Giachin, E.; Rabiner, L.R.;
Acoustics, Speech, and Signal Processing, 1991. ICASSP-91., 1991
International Conference on , 14-17 Apr 1991
Page(s): 729 -732 vol.1

[Abstract] [PDF Full-Text (524 KB)] **IEEE CNF**

[Abstract] [PDF Full-Text (812 KB)] IEEE CNF

3 OPERATION PATHFINDER: an introduction to oceanography and coastal processes for elementary and middle school teachers

Walker, S.H.; Spence, L.L.; Miller, A.H.; Tiedemann, J.A.; Larkin, F.L.; Meeker, B.S.; Kent, R.J.; Salas-Didier, R.; Osis, V.J.; Sautter, L.R.; Walters, H.D.;

OCEANS '95. MTS/IEEE. 'Challenges of Our Changing Global Environment'. Conference Proceedings., Volume: 2, 9-12 Oct 1995 Page(s): 849 -862 vol.2

[Abstract] [PDF Full-Text (1024 KB)] IEEE CNF

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

(E	E	E
W.		-	-

Membership Public	cations/Services Standards Conferences Careers/Jobs	
IEEE,	Welcome United States Patent and Trademark Office	
Help FAQ Term Peer Review	S IEEE Quick Links ▼ Search Resu	ılts
Welcome to IEEE Xplore	Your search matched [0] of [936268] documents.	
O- Home O- What Can I Access? O- Log-out	You may refine your search by editing the current search expression of entering a new one the text box. Then click search Again.)r
Tables of Contents	((resouece)and (editor)) and(not compiled)	
O- Journals & Magazines O- Conference Proceedings	Search Again OR	
O- Standards	Use your browser's back button to return to your original search page	•
Search O- By Author O- Basic O- Advanced	Results: No documents matched your query.	
Member Services		
O- Join IEEE	•	
O- Access the IEEE Member Digital Library		,
Print Format		

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2003 IEEE - All rights reserved



Search DL

resource and parameter and compile and graphical and external

ACM Digital Library

A half century of pioneering concepts and fundamental research have been digitized and indexed in a variety of ways in this special collection of works published by ACM since its inception. The ACM Digital Library includes bibliographic information, abstracts, reviews, and full texts.

Digital Library Overview

- → What's New
- ⇒ FAQ
- → DL Pearls
- Content and Organization
- → Terms of Usage
- → Resources from Affiliated Organizations

Browse the Digital Libr

- → Journals
- → Magazines
- [→] Transactions
- → Proceedings
- Newsletters
- → Publications by Affiliat
- → Special Interest Group

Personalized Services

→ My Bookshelf

Cus

Jou

Col

Online Computing Revi

→ OCRS

Acces

literat

Revie


Subscription and Acc ss Information

- > Access Information
- > Individual Subscriptions
- > Institutional Subscriptions
- > Document Delivery Service

The ACM Digital Library is published by the Association for Computing Machinery. Copyi

Read the ACM Privacy Policy and Code of Ethics Questions? Comments? Contact webmaster@acm.org Call: 1.800.342.6626 (USA & Canada) or +212.626.0500 (Global)


Write: ACM, 1515 Broadway, New York, NY 10036, USA



DATE: Thursday, April 24, 2003 Printable Copy Create Case

Set Name		Hit Count	Set Name result set
DB=TI	OBD; PLUR=YES; OP=ADJ		
<u>L23</u>	L22	0	<u>L23</u>
DB=U	SPT,TDBD; PLUR=YES; OP=ADJ		
<u>L22</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	7	<u>L22</u>
DB=TI	OBD; PLUR=YES; OP=ADJ		
<u>L21</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	. 0	<u>L21</u>
DB=D	WPI; PLUR=YES; OP=ADJ		
<u>L20</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	0	<u>L20</u>
DB=EB	PAB; PLUR=YES; OP=ADJ		
<u>L19</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	0	<u>L19</u>
DB=JP	PAB; PLUR=YES; OP=ADJ		
<u>L18</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	. 0	<u>L18</u>
DB=PC	GPB; PLUR=YES; OP=ADJ		
<u>L17</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	3	<u>L17</u>
<u>L16</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical	52	<u>L16</u>
DB=US	SPT; PLUR=YES; OP=ADJ		
<u>L15</u>	112 and 14	1	<u>L15</u>
<u>L14</u>	L13 and 14	0	<u>L14</u>
<u>L13</u>	((707/104.1)!.CCLS.)	1691	<u>L13</u>
<u>L12</u>	((709/223 709/203)!.CCLS.)	2619	<u>L12</u>
<u>L11</u>	((345/594 345/650 345/676 345/740 345/760)!.CCLS.)	190	<u>L11</u>
<u>L10</u>	L9 and (resource\$ same compil\$) and (resource\$ same parameter\$) and graphical\$	8	<u>L10</u>
<u>L9</u>	((717/101 717/102 717/103 717/104 717/105 717/106 717/109 717/110 717/111 717/113)!.CCLS.)	549	<u>L9</u>
<u>L8</u>	L7 and resource\$ near5 (modif\$ or edit\$)	2	<u>L8</u>
<u>L7</u>	resource\$ same external\$ same compil\$	44	<u>L7</u>
<u>L6</u>	resource\$ same no\$ compil\$	3	<u>L6</u>
<u>L5</u>	resource\$ same external\$ same no\$ compile\$	0	<u>L5</u>
<u>L4</u>	L3 and (graphical\$ near5 interfac\$)	22	<u>L4</u>
<u>L3</u>	L2 and resource\$ near4 (parameter\$)	90	<u>L3</u>
<u>L2</u>	resource\$ same compil\$	1402	<u>L2</u>
<u>L1</u>	resource\$ near4 (application\$ or file\$ or data\$) near5 (uncompil\$ or (no\$ near4 compil\$))	0	<u>L1</u>

END OF SEARCH HISTORY



DATE: Thursday, April 24, 2003 Printable Copy Create Case

Set Name Query ide by side			Hit Count Set Name result set	
DB=TDBD; PLUR=YES; OP=ADJ				
<u>L21</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	0	<u>L21</u>	
DB=DV	WPI; PLUR=YES; OP=ADJ			
<u>L20</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	0	<u>L20</u>	
DB=EF	PAB; PLUR=YES; OP=ADJ			
<u>L19</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	0	<u>L19</u>	
DB=JP	AB; PLUR=YES; OP=ADJ			
<u>L18</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	0	<u>L18</u>	
DB=PC	GPB; PLUR=YES; OP=ADJ			
<u>L17</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical and (resource\$ near5 edit\$)	3	<u>L17</u>	
<u>L16</u>	resource\$ same compil\$ and (resource\$ near4 parameter\$) and graphical	52	<u>L16</u>	
DB=US	SPT; PLUR=YES; OP=ADJ			
<u>L15</u>	112 and 14	1	<u>L15</u>	
<u>L14</u>	L13 and 14	0	<u>L14</u>	
<u>L13</u>	((707/104.1)!.CCLS.)	1691	<u>L13</u>	
<u>L12</u>	((709/223 709/203)!.CCLS.)	2619	<u>L12</u>	
<u>L11</u>	((345/594 345/650 345/676 345/740 345/760)!.CCLS.)	190	<u>L11</u>	
<u>L10</u>	L9 and (resource\$ same compil\$) and (resource\$ same parameter\$) and graphical\$	8	<u>L10</u>	
<u>L9</u>	((717/101 717/102 717/103 717/104 717/105 717/106 717/109 717/110 717/111 717/113)!.CCLS.)	549	<u>L9</u>	
<u>L8</u>	L7 and resource\$ near5 (modif\$ or edit\$)	2	<u>L8</u>	
<u>L7</u>	resource\$ same external\$ same compil\$	44	<u>L7</u>	
<u>L6</u>	resource\$ same no\$ compil\$	3	<u>L6</u>	
<u>L5</u>	resource\$ same external\$ same no\$ compile\$	0	<u>L5</u>	
<u>L4</u>	L3 and (graphical\$ near5 interfac\$)	22	<u>L4</u>	
<u>L3</u>	L2 and resource\$ near4 (parameter\$)	90	<u>L3</u>	
<u>L2</u>	resource\$ same compil\$	1402	<u>L2</u>	
<u>L1</u>	resource\$ near4 (application\$ or file\$ or data\$) near5 (uncompil\$ or (no\$ near4 compil\$))	0	<u>L1</u>	

END OF SEARCH HISTORY